

ANTIFREEZE

Page: 1

Compilation date: 23/10/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANTIFREEZE

Product code: D001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC4: Anti-Freeze and de-icing products.

1.3. Details of the supplier of the safety data sheet

Company name: Exol Lubricants Ltd

All Saints Road Wednesbury West-Midlands WS10 9LL United Kingdom

Tel: 01215686800

Email: emma.farrelly@exol-lubricants.com

1.4. Emergency telephone number

Emergency tel: 01215686800

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; STOT RE 2: H373

Most important adverse effects: Harmful if swallowed. May cause damage to organs through prolonged or repeated

exposure [oral].

2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

H373: May cause damage to organs through prolonged or repeated exposure [oral].

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard





Signal words: Warning

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

ANTIFREEZE

Page: 2

P270: Do not eat, drink or smoke when using this product.

P314: Get medical attention if you feel unwell.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P330: Rinse mouth.

P501: Dispose of contents/container to an authorised waste disposal contractor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

MONO ETHYLENE GLYCOL - REACH registered number(s): 01-2119456816-28

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-473-3	107-21-1	-	Acute Tox. 4: H302; STOT RE 2: H373	>90%

DISODIUM TETRABORATE, ANHYDROUS

215-540-4	1330-43-4		Repr. 1B: H360FD	1 100/	
213-340-4	1330-43-4	_ -	Kepi. ib. Hooded	1-10%	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

ANTIFREEZE

Page: 3

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel. Turn leaking containers

leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

ANTIFREEZE

Page: 4

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	60	125	-	-

Hazardous ingredients:

MONO ETHYLENE GLYCOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	20 ppm (Sk)	40 ppm (Sk)	-	-

DNEL/PNEC Values

ANTIFREEZE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	35 mg/m3	Workers	Local
DNEL	Dermal	106 mg/kg	Workers	Systemic
DNEL	Inhalation	7 mg/m3	Consumers	Local
DNEL	Dermal	53 mg/m3	Consumers	Systemic
PNEC	Fresh water	10 mg/l	-	-
PNEC	Marine water	1 mg/l	-	-
PNEC	Fresh water sediments	20.9 mg/kg	-	-
PNEC	Soil (agricultural)	1.53 mg/kg	-	-

Hazardous ingredients:

MONO ETHYLENE GLYCOL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	35 mg/m3	Workers	Local
DNEL	Dermal	106 mg/kg	Workers	Systemic
DNEL	Inhalation	7 mg/m3	Consumers	Local
DNEL	Dermal	53 mg/m3	Consumers	Systemic
PNEC	Fresh water	10 mg/l	-	-
PNEC	Marine water	1 mg/l	-	-
PNEC	Microorganisms in sewage treatment	199.5 mg/l	-	-
PNEC	Fresh water sediments	20.9 mg/kg	-	-
PNEC	Soil (agricultural)	1.53 mg/kg	-	-

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

ANTIFREEZE

Page: 5

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Blue

Odour: Odourless

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Miscible

Viscosity: Non-viscous

Kinematic viscosity: 21

Viscosity test method: cP @ 20°C

Boiling point/range°C: 165 Melting point/range°C: -12

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 111 Part.coeff. n-octanol/water: log Pow -1.93

Autoflammability°C: 400 Vapour pressure: 0.05 kPa

Relative density: 1.13 @ 20 deg C pH: No data available.

VOC g/I: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

ANTIFREEZE

Page: 6

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	7,712	mg/kg
DERMAL	MUS	LD50	3,500	mg/kg
VAPOURS	RAT	4H LC50	2.5	mg/l

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
FISH	96H LC50	72860	mg/l
Daphnia magna	48H EC50	>100	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	>6500	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

ANTIFREEZE

Page: 7

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H360FD: May damage fertility. May damage the unborn child.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that

no other routes of exposure cause the hazard>.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

 $PK^{\perp l}$ - \square ! L±Ll \square \square [Content_Types].xml ϕ^{l} \square (\square