SPECIFICATION

ADJUSTASTAIR

- O TREADS SELF LEVEL TO SUIT ANY HEIGHT WITHIN THE STAIR'S RANGE
- O LIGHTWEIGHT, HEAVY DUTY ALUMINIUM FOR EASY RELOCATION AROUND THE SITE
- ONE PIECE UNIT CAN BE SET UP IN SECONDS AND JOINED IN-LINE
- O SAFE, FAST, EASY ACCESS BETWEEN FLOORS, DECKS & IN TRENCHES
- O FOLDS FLAT FOR EASY STORAGE & TRANSPORTATION
- O DURABLE BUILT TO LAST
- O AVAILABLE WITH FIBREGLASS STILES AND RAILS FOR ELECTRICAL SAFETY
- O AVAILABLE WITH OPEN RAISED TREAD TO SHED SNOW, ICE AND MUD, AND INCREASE GRIP













SPECIFICATION


ADJUSTASTAIR


CODE	MADE FROM	WIDTH	HEIGHT ADJUSTMENT	STEPS	WEIGHT RATING
210290	ALUMINIUM	600mm	0.4M - 0.7M	3	500KG
210291	ALUMINIUM	600mm	0.9M - 1.4M	6	500KG
210292	ALUMINIUM	600mm	1.4M - 2.0M	9	500KG
210296	ALUMINIUM	600mm	1.8M - 2.7M	12	500KG
210293	ALUMINIUM	600mm	2.2M - 3.4M	15	500KG
210277	ALUMINIUM	600mm	2.7M - 4.1M with support truss under stringers	18	500KG

ALSO AVAILABLE IN CUSTOM SIZES TO ORDER

HOW THE ADJUSTASTAIR SELF LEVELS

THE INNOVATIVE DESIGN ALLOWS THE TREADS TO MOVE WITH THE STRINGERS, ALLOWING THE STAIR TO SELF LEVEL TO PROVIDE A FIRM, FLAT SURFACE AT THE DESIRED HEIGHT.







SPECIFICATION









